

# Certified Reference Material BAM-I012

# Cadmium in dilute nitric acid Certified Isotopic Reference Material

The material causes skin burns and eye damage. It may cause cancer and may be corrosive to metals. For more details see the material safety data sheet.

# **Certified Values**

Quantity	Unit	Value	Uncertainty *	
Isotope amount ratios:				
n(106Cd)/n(111Cd)	mol/mol	0.09751	0.00007	
n(108Cd)/n(111Cd)	mol/mol	0.06951	0.00003	
n(110Cd)/n(111Cd)	mol/mol	0.97504	0.00010	
n(112Cd)/n(111Cd)	mol/mol	1.8835	0.0004	
n(113Cd)/n(111Cd)	mol/mol	0.95479	0.00016	
n(114Cd)/n(111Cd)	mol/mol	2.2437	0.0007	
n(116Cd)/n(111Cd)	mol/mol	0.58583	0.00026	
Isotope amount fractions:				
n(106Cd)/n(Cd)	mol/mol	0.012485	0.000009	
n(108Cd)/n(Cd)	mol/mol	0.008901	0.000004	
n(110Cd)/n(Cd)	mol/mol	0.124846	0.000016	
n(111Cd)/n(Cd)	mol/mol	0.128043	0.000013	
n(112Cd)/n(Cd)	mol/mol	0.24117	0.00004	
n(113Cd)/n(Cd)	mol/mol	0.122254	0.000022	
n(114Cd)/n(Cd)	mol/mol	0.28729	0.00006	
n(116Cd)/n(Cd)	mol/mol	0.07501	0.00004	
Molar mass in solution:				
M(Cd)	g/mol	112.41218	0.00018	

Uncertainty is the expanded uncertainty with a coverage factor of k = 2.

This certificate is valid for 20 years for units with unbroken seal stored under required conditions. This validity, until the end of year 2034, may be extended as further evidence of stability becomes available.

BAM-I012 Page 1 of 3

# **Indicative Value**

Mass content	Unit	Value	Uncertainty *
w(Cd)	mg/kg	994	5

<sup>\*</sup> Uncertainty is the expanded uncertainty with a coverage factor of k = 4.5.

# **Material Description**

The cadmium isotopic reference material BAM-I012 is a solution of high purity cadmium with natural-like isotopic composition dissolved in 1 mol/L nitric acid and filled in flame-sealed quartz ampoules containing approximately 7 mL solution.

### **Recommended Use**

BAM-I012 is a primary isotopic reference material and is designed for calibration of cadmium isotope ratio measurements of all types.

# Handling

Before opening an ampoule, it should be shaken to homogenize the solution with potential droplets of condensed water in the neck. Then the whole ampoule should be carefully wiped with a clean, damp cloth and the body of the ampoule should be wrapped in absorbent material (e.g. clean cloth). Then an ampoule file with a diamond or WIDIA blade is used to score the neck of the ampoule with a quarter to a half circle. Holding the ampoule steady and with both hands, medium thumb pressure should be applied with both thumbs to the stem to snap it. Correctly done, the stem should break where scored.

The solution should be withdrawn with a precleaned pipette or syringe and should be transferred in a precleaned PFA bottle. Any contamination should be avoided, as they may lead to a bias in the isotopic composition.

## **Safety Information**

The usual laboratory safety precautions apply. BAM-I012 is an acidic solution sealed in quartz ampoules, which contains 1 mol/L nitric acid. All appropriate safety precautions, including the use of gloves and safety glasses, should be taken.

# **Transport and Storage**

This CRM should be stored under normal laboratory conditions (between 5 °C and 25 °C) at places, where the risk of mechanical damage is low.

BAM cannot be held responsible for changes that happen during storage of the material at the customer's premises, especially of opened samples.

# **Analytical Methods**

The isotope ratios were determined by multi-collector TIMS and multi-collector ICPMS both calibrated by synthetic isotope mixtures. The cadmium mass content was determined by isotope dilution mass spectrometry and is considered as indicative value only.

# **Metrological Traceability**

BAM-I012 was certified by using multi-collector mass spectrometers calibrated by means of synthetic isotope mixtures yielding the highest accuracy for absolute

BAM-I012 Page 2 of 3

isotope ratios. BAM-I012, therefore is a primary isotopic reference material representing the highest metrological level for cadmium isotope ratio analysis.

All uncertainties are expanded measurement uncertainties with a coverage factor k = 2 and are calculated according to ISO and EURACHEM guidelines. They contain the repeatability of the measurement, the uncertainty of the determined correction factors for mass discrimination/mass fractionation as well as other contributions.

This Isotopic Reference Material is traceable to the international unit, SI, for amount of substance – the mole – in the shortest possible way. Measurements calibrated against this Isotopic Reference Material will, therefore, also be traceable to the SI.

### Literature

Bericht zur Herstellung und Zertifizierung eines Cadmium-Isotopenreferenzmaterials - Zertifiziertes Referenzmaterial BAM-I012 (J. Vogl, W. Pritzkow, May 2015) (Download: BAM homepage (www.bam.de) via links <Reference Materials> and <Certificates and Reports>)

Pritzkow W, Wunderli S, Vogl J, Fortunato G, The isotope abundances and the atomic weight of cadmium by a metrological approach, Int J Mass Spectrom 261 (2007) 74-85.

BAM:2006 "Guidelines for the Production of BAM Reference Materials" (http://www.bam.de/en/fachthemen/referenzmaterialien/referenzmaterialien\_medien/bam\_rm\_guidelines.pdf)

# Accepted as BAM-CRM on February 19, 2015

# **BAM Federal Institute for Materials Research and Testing**

Prof. Dr. U. Panne Head of Department 1 Analytical Chemistry; Reference Materials Dr. N. Jakubowski Head of Division 1.1 Inorganic Trace Analysis

This Reference Material is offered by:

BAM Federal Institute for Materials Research and Testing

Richard-Willstätter-Str. 11, D-12489 Berlin, Germany

 Tel:
 +49 30 8104 2061
 E-Mail:
 sales.crm@bam.de

 Fax:
 +49 30 8104 1117
 Internet:
 www.webshop.bam.de

BAM-I012 Page 3 of 3



# SAFETY DATA SHEET FOR

according to Regulation (EC) No 1907/2006

"BAM-I012"

Version number 3 Issue Date: 01.03.2018 Page: 1/10

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: BAM-I012

Product information: Cadmium aqueous solution in 6 % nitric acid (1 mol/L) with an approximate

Cd mass fraction of 994 µg/g and a total volume of 7 mL in flame-sealed

quartz ampoules

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Primary isotopic reference material, designed for calibration of cadmium isotope ratio measurements of all types. Any other use is discouraged.

# 1.3. Details of the supplier of the safety data sheet

Supplier / Producer: Bundesanstalt für Materialforschung und -prüfung (BAM)

Unter den Eichen 87, 12205 Berlin, Germany

Phone: +49 (0)30 8104-0 Fax: +49 (0)30 8104-7-2222 Homepage: <u>www.bam.de</u> E-Mail: info@bam.de

Contact person: Dr. Jochen Vogl, e-mail: <a href="mailto:jochen.vogl@bam.de">jochen.vogl@bam.de</a>
Issuing person: Dr. Jochen Vogl, e-mail: <a href="mailto:jochen.vogl@bam.de">jochen.vogl@bam.de</a>

### 1.4. Emergency telephone number

Emergency telephone: +49 (0)30 30686700

Giftnotruf Berlin

Charité-Universitätsmedizin Berlin Campus Benjamin Franklin Hindenburgdamm 30

12203 Berlin

To avoid language problems and in case of nonavailability it is recommended to contact your national poison control centre. A list of national poison control centres inside the EU can be obtained at:

http://ec.europa.eu/growth/sectors/chemicals/poison-centres/index\_en.htm

For poison centres outside the EU the information is listed at the world

directory of poison control centres at the WHO homepage:

http://www.who.int/gho/phe/chemical\_safety/poisons\_centres/en/

### 2. Hazards identification

# 2.1. Classification of the substance or mixture

Classification (Regulation (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals

Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage

Carcinogenicity, Category 1B H350: May cause cancer

Classification (67/548/EEC or 1999/45/EC)

C, corrosive R34: Causes burns



# SAFETY DATA SHEET

**FOR** 

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 2/10

#### 2.2. Label elements

### Labelling according to Regulation (EC) No 1272/2008:

Hazard pictogram:





Signal word:

Danger

Hazard statements:

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage.

H350 May cause cancer

Precautionary statements:

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+311 IF exposed or concerned: Call a POISON CENTER or doctor/physician

P363 Wash contaminated clothing before reuse

Restricted to professional users.

For the full text of the H-Statements as well as S- and R-phrases mentioned in this Section, see Section 16.

# Section 3: Composition/information on ingredients

### 3.1. Substances

Does not apply. Product is prepared as mixture from substances listed under section 3.2.

3.2. Mixtures

Chemical nature: Cadmium nitrate in nitric acid solution.

Hazardous components (Regulation (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. EC-No./Registration Index-No. Classification of the pure component

number

Nitric acid (  $5\% \le c < 20\%$ )

7697-37-2 231-714-2 007-004-00-1 Oxidising liquid, Category 3, H272

Skin corrosion, Category 1A, H314 Corrosive to metals, Category 1, H290



# SAFETY DATA SHEET

**FOR** 

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 3/10

Cadmium nitrate tetrahydrate (0.01 % < c < 0.1 %)

10325-94-7 233-710-6 048-001-00-5 Acute toxicity, Category 3, oral, H301

Acute toxicity, Category 2, inhalation, H330 Reproductive toxicity, Category 1B, H360 Germ cell mutagenicity, Category 1B, H340 Carcinogenicity, Category 1B, H350

Specific Target Organ Toxicity, Cat. 1, H372

Aquatic acute, Category 1, H400 Aquatic chronic, Category 1, H410

M-Factor: 10

Hazardous components (67/548/EEC)

Chemical Name (Concentration)

CAS-No. EC-No./Registration Index-No. Classification of the pure component

Number

Nitric acid (>= 5% -=<20 %)

7697-37-2 231-714-2 007-004-00-1 O; R8

C; R35

Cadmium nitrate tetrahydrate (0.01 % < c < 0.1 %)

10325-94-7 233-710-6 048-001-00-5 Xn, Harmful, R20/21/22

N, Dangerous for the environment, R50/53

M-Factor: 10

For the full text of the R-phrases mentioned in this Section, see Section 16.

# **Section 4: First aid measures**

### 4.1. Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at the most). Consult a physician.

# 4.2. Most important symptoms and effects, both acute and delayed

Corrosive effect

The following applies to cadmium compounds in general: mucosal irritations, coughing and dyspnoea after inhalation. Inhalation may lead to the formation of oedemas in the respiratory tract. Toxic effect on gastrointestinal tract. Long-term exposure to the chemical results in toxic effect on kidneys, lungs, bones.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available

# **Section 5: Fire-fighting measures**

### 5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. For this substance / mixture no restrictions on extinguishing media are known.



# SAFETY DATA SHEET

**FOR** 

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 4/10

### 5.2. Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3. Advice for fire fighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Further information

Prevent fire extinguishing water from contamination surface water or the ground water system.

### **Section 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergence procedures

Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation.

Wear protective glasses and gloves. See section 8

### 6.2. Environmental precautions

Do not empty into drains.

### 6.3. Methods and materials for containment and cleaning up

Take up with liquid-absorbent and neutralizing material. Forward for disposal. Clean up affected area.

### 6.4. Reference to other sections

Information on disposal see section 13.

# **Section 7:Handling and storage**

### 7.1. Precautions for safe handling

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols. Observe label precautions. Wear protective equipment, see section 8.

Keep general hygiene standards for laboratories.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a well-ventilated place. Store at +15 °C to +25 °C.

# 7.3. Specific end use

Not applicable

### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

Components with workplace parameters

Components

Basis Value Threshold limits Remarks

Nitric acid (7697-37-2)

Directive 2006/15/EC Short Term Exposure

Limit (STEL): 2.6 mg/m<sup>3</sup> (1 ppm) 15 minutes



"BAM-I012"

# SAFETY DATA SHEET FOR

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 5/10

Inorganic cadmium and its compounds

EH40 WEL (2007) Occupational exposure

limit value 8h 25µ mg/m<sup>3</sup> 8 h average

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of standards DIN EN 482 and DIN EN 689.

### 8.2. Exposure controls

Personal protective equipment

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Hand protection:

Full contact: Glove material: Latex or polyvinylchloride

Glove thickness: 0. 5 mm Break through time: > 8 h

Splash contact: Glove material: Latex or polyvinylchloride

Glove thickness: 0.5 mm Break through time: > 8 h

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the resultant standard EN374.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Eye protection:

Safety glasses

Respiratory protection:

Required when vapours/aerosols are generated

Hygiene measures:

Immediately change contaminated clothing. Apply skin-protective barrier cream. Wash hands and face after working with substance.

# Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance colourless liquid

Odour odourless

Odour threshold No information available

pH ca. 0 at 20 °C, for the nitric acid component, literature

data

Melting point/freezing point between 0 °C and -10 °C

Initial boiling point and boiling range between 100 °C and 110 °C at 1013 hPa

Flash point not required, inorganic substance

Evaporation rate no data available Flammability (solid, gas) not combustible Upper/lower flammability or explosive limits no data available



# SAFETY DATA SHEET

**FOR** 

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 6/10

Vapour pressure no data available
Vapour density no data available

Relative density ca. 1035 kg/m³ at 20 °C (tabulated for dilute nitric acid)

Solubility(ies) water soluble (quantitatively)

Partition coefficient: n-octanol/water no data available
Auto-ignition temperature no data available
Decomposition temperature no data available
Viscosity no data available

Explosive properties not classified as explosive

Oxidising properties no data available

9.2. Other information

Corrosion may be corrosive to metals

# **Section 10: Stability and reactivity**

# 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal storage conditions (0 – 40 °C)

### 10.3. Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with metals.

Violent reactions possible with generally known reaction partners of water.

### 10.4. Conditions to avoid

No information available

### 10.5. Incompatible materials

Increased reactivity with:

oxidizable substances, organic solvent, metals, metal alloys, alkali metals, alkaline earth metals, ammonia, alkalines, acids

Unsuitable working materials:

Metals, metal alloys

### 10.6. Hazardous decomposition products

no information available

# Section 11: Toxicological information

# 11.1. Information on toxicological effects

Acute oral toxicity:

Symptoms: burns of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract when ingested.

Acute inhalation toxicity

Symptoms: mucosal irritations, cough, shortness of breath, possible damage of respiratory tract.



# SAFETY DATA SHEET

**FOR** 

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 7/10

Acute dermal toxicity

This information is not available.

Skin corrosion/irritation:

Mixture causes burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Sensitization possible in predisposed persons.

Carcinogenicity

This information is not available.

Germ cell mutagenicity

This information is not available.

Reproductive toxicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

# 11.2. Further information

CMR effects:

Carcinogenicity:

May cause cancer by inhalation.

The following applies to cadmium compounds in general: mucosal irritations, coughing and dyspnoea after inhalation. Inhalation may lead to the formation of oedemas in the respiratory tract. Toxic effect on gastrointestinal tract. Long-term exposure to the chemical results in toxic effect on kidneys, lungs, bones.

Quantitative data on the toxicity of this product are not available.

Handle in accordance with good industrial hygiene and safety practice.

# **Section 12: Ecological information**

### 12.1. Toxicity

No information available.

#### 12.2. Persistence and degradability

No information available. The methods for determining biological degradability are not applicable to inorganic substances.

### 12.3. Bio accumulative potential

No information available.

### 12.4. Mobility in soil

No information available.



# SAFETY DATA SHEET

**FOR** 

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 8/10

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

No information available.

Further information on ecology

Do not allow to enter waters, waste water, or soil!

# **Section 13: Disposal considerations**

### 13.1. Waste treatment methods

Product

Chemicals must be disposed of in compliance with the respective national regulations.

Packaging

The product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

# **Section 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number** 2031

**14.2. UN proper shipping name** NITRIC ACID

### Inland waterway transport (ADN)

Not relevant

# Air transport (IATA/ICAO)

**14.1. UN number** 2031

14.2. UN proper shipping name NITRIC ACID

14.3. Transport hazard class(es)
14.4. Packing group
14.5 Environmental hazards
14.6. Special precautions for users

### Sea transport (IMDG)

**14.1. UN number** 2031

14.2. UN proper shipping name NITRIC ACID

14.3. Transport hazard class(es)
14.4. Packing group
14.5 Environmental hazards



"BAM-I012"

# SAFETY DATA SHEET FOR

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 9/10

14.6. Special precautions for users yes

EmS F-A S-B

14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC code

Not relevant

### **Additional Transport Information:**

Product ERM-AE140 fulfils the limits for excepted quantities according to ADR and IMDG:

ADR: Limited quantity (LQ): 1 L

Excepted quantity (EQ) Code: E2 maximum net quantity per inner packaging: 30 mL

maximum net quantity per outer packaging: 500 mL

IMDG Limited quantities (LQ): 1L

Excepted quantities (EQ): E2 maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

# **Section 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Occupational restrictions Health and safety protection at work, directive 98/24/EC

Take note of Directive 94/33/EC on the protection of young people at

work

National legislation

Above regulations for health and safety protection at work are cited which are valid within the EU. As many EU-countries have additional regulations, please consult and follow your national regulations. National regulations should be considered in general for countries outside the EU.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment is not required and therefore was not carried out.

# **Section 16: Other information**

Full text of H-Statements referred to under sections 2 and 3

H272 May intensify fire; oxidizer H290 May be corrosive to metals

H301 Toxic if swallowed

H314 Causes severe skin burns and eye damage

H330 Fatal if inhaled

H340 May cause genetic defects

H350 May cause cancer

H360 May damage fertility or the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life



# SAFETY DATA SHEET

FOR

"BAM-I012"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 10/10

H410 Very toxic to aquatic life with long lasting effects

Full text of precautionary statements referred to under sections 2 and 3:

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+311 IF exposed or concerned: Call a POISON CENTER or doctor/physician

P363 Wash contaminated clothing before reuse

Full text of R-phrases referred to under sections 2 and 3

R8 Contact with combustible material may cause fire.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

R34 Causes burns

R35 Causes severe burns.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment

Full text of S-phrases referred to under sections 2 and 3

S23 Do not breathe gas/fumes/vapor/spray

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36 Wear suitable protective clothing

S45 In case of accident or if you feel unwell seek medical advice immediately.

Release management: Regulation (EC) No 453/2010

The information contained herein is based on data considered to be accurate and on the present state of our knowledge. It characterizes the sample with regard to the appropriate safety precautions. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.